

МРЕЖОВА ТЕХНИКА > СУИЧОВЕ

## Cisco Catalyst 9300 24-port mGig and UPOE, Network Essentials



Модел : C9300-24UX-E

Cisco Catalyst 9300 24-port mGig and UPOE, Network Essentials

Суич, тип: Modular

Общ брой портове: 24

Основни портове, тип: 10G/mGig (10G/5G/2.5G/1G/100M)

Power Over Ethernet (PoE): Cisco UPOE (60W per port)

& IEEE 802.3bt type 3 on all ports (24-port switch)

Uplink портове: Modular Uplinks

Свободни (10GB) слотове: 1 open module slot: Support

four optional uplink modules (C9300-NM-4G, C9300-NM-8X, C9300-NM-2Q, C9300-NM-4M). Also supported 3850 network modules (C3850-NM-4-1G, C3850-NM-2-10G, C3850-NM-4-10G).

Управление: SNMPv1, SNMPv2c, and SNMPv3; RMON I and II standards; Internet Group Management Protocol (IGMP); CLI; TCP; UDP

Stackable: Cisco StackWise-480 stacking ports: copper-based Cisco StackWise cabling

Fans: Three field-replaceable fans

Захранване: Dual redundant power supplies, Default power supply: 1100W AC

Routing: Layer 3 Advanced

Памет (Flash, RAM): Flash memory: 16 GB; RAM: 8 GB DRAM

Капацитет за маршрутизиране/превключване, Gbps: 640 Gbps; Switching capacity with stacking: 1120 Gbps

Пропускателна способност, Mpps: 476.19 Mpps;

Forwarding rate with stacking: 833.33 Mpps

MAC адреси: 32000 MAC address table size

VLAN (брой, стандарти): VLAN IDs: 4000; IEEE 802.1Q

VLAN

QoS: Granular wireless bandwidth management and fair sharing, 802.1p Class of Service (CoS) and Differentiated Services Code Point (DSCP) field classification, Shaped Round Robin (SRR) scheduling, Committed Information Rate (CIR), and eight egress queues per port

L2 мрежови стандарти: IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3z, IEEE 802.3bz, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.1D, IEEE 802.1p, IEEE 802.1Q, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.1x-Rev, IEEE 802.3x, IEEE 802.1AE

L3 мрежови стандарти: Advanced IP unicast routing

protocols: full OSPF, EIGRP, BGPv4, IS-ISv4

IPv6 functionality: IPv6 routing; IPv6 addressing; Dual-stack support for IPv4/IPv6 and dynamic hardware forwarding table allocations, for ease of IPv4-to-IPv6 migration; IPv6 support in hardware, providing wire-rate forwarding for IPv6 networks

Сигурност: Encrypted Traffic Analytics (ETA), AES-256 MACsec encryption, Trustworthy systems built with Cisco Trust Anchor Technologies (Image signing, Secure Boot, Cisco Trust Anchor module)

Размери (Ш, Д, В), мм: 445 x 434 x 44

Опция за монтаж: Rackmount

Други: Задължителен е минимум 3-годишен лиценз DNA Advantage.

Цена : 12256.34&nbsp;EUR с ДДС

*Наличност: Този продукт е бил добавен в нашия каталог на Вт 28 април, 2026*